OPERANDO

NEXT GENERATION
POLY-ACRYLIC CORE LAMINATES





Premium Collection 2024

SCAN ME





S

ш

_ Σ

A



ABOUT US

Welcome to Operando Laminates, The Leading Laminate Manufacturing Company. We take immense pride in introducing our latest innovation: a new collection of Anti-Scratch Laminates, meticulously crafted with revolutionary technology. At Operando Laminates, we continuously push the boundaries of surface solutions, ensuring that each product not only redefines spaces but also enhances interior aesthetics. Our commitment to quality is unwavering, and customer satisfaction remains our top priority. Explore our exceptional range of products and experience the Operando Laminates difference today.







ANTI SCRATCH

Collection

Our Products:





Ш



ADVANCE FEATURES

























e Water Repellent



(



Compatible Working with Plywood & MDF



High Impact Resistance



No Edge Banding Strip Required



www.operandolaminates.com





Pure Polymer




Embrace the unparalleled assurance of meticulously tested anti-scratch laminates. leaving no scratches behind



Anti Scratch





PLATINUM





OG-15-GR

LIGHT GREY


Flexible Bending

OG-19-GR





High Stain Resistance



Enjoy the assurance of 100% waterproof protection Laminates ensuring durability and resilience against life's spills



Water Proof

and splashes








Eco Friendly













High Impact Resistance



PREMIUM ANTI SCRATCH 8H CHIFFON MATT COLLECTION





Anti Scratch Ensures your surfaces remain pristine and unblemished



Anti Fingerprint Ensures that surfaces are not easily marred by fingerprints and smudges



Anti Yellow

Ensuring your interiors stay vibrant & fresh even under the sun's rays



Eco-Friendly





Compatible Working with Plywood & MDF



Impact Resistance



No Edge Banding Strip Required




Anti-Bacterial & **Termite Free**



High Heat Resistance



Water Repellent





Anti Fingerprint






High UV Resistance




• Chiffon Matt
TEAL BLUE






Non Breakable





Easy-to-Clean





GENERAL USE & CARE GUIDE:

Operando laminates are designed for easy maintenance and durability. Follow these guidelines for optimal performance:

- 1. Stain Removal: For stubborn stains, use mild household glass cleaners like Colin. Gently wipe the surface with a non-abrasive cloth.
- 2. **Avoid Abrasive Cleaners:** Refrain from using abrasive liquid cleaners, bleaches, or solvents, as they may harm the laminate surface. Clean with water and a non-abrasive cloth.
- 3. **Surface Recommendation:** Glossy surfaces are best suited for vertical applications.
- 4. **Thinner Usage:** Do not apply thinner to Operando laminates.

INSTALLATION INSTRUCTIONS:

- 1. Before use, stir the POLYBOND adhesive and do not mix water.
- 2. Clean the dust particles from the surface of the substrate (plywood, MDF, chipboard) with a cloth, soft brush, sponge or sandpaper.
- 3. Apply the adhesive evenly with a brush, roller or adhesive spray on both the laminate and the substrate (plywood. MDF, chipboard).
- 4. When pressing on the laminate base (plywood, MDF, chipboard), use a soft-pressure roller or a normal pressing technique. Pressing must be done from the center of the panel and moved to the sideline and corners of the panel
- 5. Make sure the laminate is sufficiently pressed for almost 24-30 hours to reach full bond strength.

Limited Warranty:

Operando Products undergo rigorous testing to ensure they are reasonably free of defects. When used and fabricated correctly, they will comply with applicable manufacturing specifications within realistic deviations. Prior to installation, we advise customers to thoroughly inspect products. The warranty excludes defects or non-compliance due to:

- · Improper handling, transportation, or storage of laminates
- Incorrect installation or unintended usage
- · Lack of maintenance or exposure to high temperatures
- Unauthorized alterations or outdoor applications
- Exchanges are provided under reasonable circumstances.
- This brochure serves as a presentation guide, with actual colors potentially differing.



Why Polymer Laminates are the Best Choice compare to other laminates?

Parameters	PVC	PET-G	ASA	ACRYLIC	POLY
Best Quality + Cost Effective	NO	NO	NO	NO	YES
Eco Friendly	NO	NO	YES	NO	YES
High Gloss Life	Short	Short	Medium	Medium	Long
Durable	2-3 months	1 year	1 year	2 years	10 years
Rigid / Flexible	Rigid	Rigid	Rigid	Rigid	Flexible
Bendable	Oo	O ₀	Oo	Oo	180°
Weight	Heavy	Heavy	Medium	Medium	Light
UV / Anti-Yellow	Low	Low	Medium	Medium	High
Weather Resistance	Bad	Good	Good	Good	Excellent
Heat Resistance	Bad	Good	Good	Good	Excellent

Disclaimer

- Plywood with high moisture content should not be used.
- Avoid using ply with an uneven surface.
- Inferior quality adhesive should be avoided.
- Apply sufficient pressure during installation.
- It is not recommended to paste sheets on the printed/branding area of the plywood.
- Our laminates boast an anti-scratch rating of up to 3.5 hardness.

Please handle with care for optimal longevity.

POLYBOND Adhesive Benefits:

Strength & Toughness: Provides a strong and durable bond between surfaces.

Versatile Application: Suitable for both vertical and horizontal surfaces.

Ease of Use: Simple application and easy cleanup.

Waterproof: Suitable for indoor and outdoor projects.





Choose POLYBOND adhesive for reliable bonding and long-lasting results in your laminate installations.

SPARK YOUR IMAGINATION

QUALITY | RELIABILITY | CONSISTENCY

SCAN HERE





@operandolaminates



sales@operandolaminates.com

WWW.OPERANDOLAMINATES.COM

OPERANDO

LUXURY CORE POLYMER LAMINATES