


WEBSITE



OPERANDO

LAMINATES

PREMIUM CORE POLYMER LAMINATES

SHIMMER METALLIC MATT

India's First and Only 180° Bendable
Anti Scratch Polymer Laminates

EDITION 2024-2025



CHIFFON + SUPER + SHIMMER
METALLIC MATT

Made with High Tech German Standard 




**First time in INDIA !
Introducing SHIMMER METALLIC
Coat in Super Matt Finish Polymer Laminates
By OPERANDO.**

Elevate your space with a stunning blend of Shimmer and Softness,
offering elegance and durability like never before !




SHIMMER METALLIC SUPER MATT




STARSTREAM

OSMM-629-BR



BLACK HOLE

OSMM-613-BW




ASTEROID MOCHA

OSMM-626-BR



MOON GLOW

OSMM-617-GR




GALAXY

OSMM-650-CO



EUPHORIA

OSMM-656-CO



STELLAR

OSMM-652-CO



CENTAURI


OSMM-628-BR

India's only 180° Bendable Anti Scratch Polymer Laminates




SOLAR SAND

OSMM-619-GR



METEOR GREY

OSMM-625-GR



ORBIT GREY

OSMM-614-GR




STAR CLUSTER

OSMM-627-BR



PLUTO

OSMM-651-CO



COSMOS

OSMM-655-CO



MARS DUST

OSMM-654-BR



MERCURY

OSMM-653-GR

Premium Anti Scratch Collection

Rafahia Shimmer Metallic Matt

ADVANCE FEATURES



ANTI YELLOW



ANTI FINGERPRINT



ANTI SCRATCH



HIGH STAIN RESISTANCE



90°-180° BEND



SOFT SPARKLE FINISH



NON CRACKING GUARANTEE



ZERO% PVC



NO LAYERS SINGLE CORE MATERIAL



Polymer Laminate



High Heat Resistance



Water Repellent



Chemical Resistance



Termite Free



Eco-Friendly



Anti-Bacterial Properties



Easy to Clean



Compatible Working with Plywood & MDF



High Impact Resistance



No Edge Banding Strip Required

Why Polymer Laminates are the Best Choice compare to other laminates?

Parameters	PVC	PET-G	ASA	ACRYLIC	POLY
Best Quality + Cost Effective	NO	NO	NO	NO	YES
Eco Friendly	NO	NO	YES	NO	YES
Soft Touch Matt Life	Short	Short	Medium	Medium	Long
Durable	2-3 months	1 year	1 year	2 years	10 years
Rigid / Flexible	Rigid	Rigid	Rigid	Rigid	Flexible
Bendable	0°	0°	0°	0°	180°
Weight	Heavy	Heavy	Medium	Medium	Light
UV / Anti-Yellow	Low	Low	Medium	Medium	High
Weather Resistance	Bad	Good	Good	Good	Excellent
Heat Resistance	Bad	Good	Good	Good	Excellent

INSTALLATION INSTRUCTIONS ::


1. Before use, stir the POLYBOND adhesive and do not mix water.
2. Clean the dust particles from the surface of the substrate (Plywood, MDF, Chipboard) with a cloth, soft brush sponge or sandpaper.
3. Apply the adhesive even with a brush, roller or adhesive spray on both the laminate and the substrate. (Plywood, MDF, Chipboard).
4. When pressing on the laminate base(Plywood, MDF, Chipboard), use a soft pressure roller or a normal pressing technique. Pressing must be done from the panel and moved to the side line and corners of the panel.
5. Make sure the laminate is sufficiently pressed for almost 24-30 hours to reach full bond strength.




Only Bendable ANTI-SCRATCH Laminate MADE IN INDIA !



SUPER MATT



SUPER GLOSS



SHIMMER METALLIC MATT

AB SIRF **MADE IN INDIA** CHALEGA !

Quality | Reliability | Consistency

:: OUR PRODUCTS ::



WEBSITE



@ operandolaminates



sales@operandolaminates.com

WWW.OPERANDOLAMINATES.COM



BEWARE
OF FAKE & UNAUTHORIZED
PRODUCTS

***Disclaimer:**

We're the only Polymer Laminate brand. Check for authentic Operando masking. Beware of FAKE SELLER selling under names like "POLYLAM" or "POLYMER LAMINATES". Choose wisely !